

Aadi and Allison

Yellow Beak

Dark Chocolate Body



White Head

Blacktail

Hey don't confuse me with a monkey eating eagle. I don't eat monkeys.

The monkey eating eagle flies only 35 miles per hour and I fly 195 miles per hour. The male is still on her nest and please admire her feathers.

But if you want to find me just call pwepwepwpwpeppwpe. Sorry thats my voice. Well, I've been here since 1782, my feathers are dark chocolate and if you want to know how big the bigest the female is, I am dark yellow and my tail is wihte.



Bald Eagle

Habitat:

- marshes
- mangroves
- reservoirs
- swamps
- seacoasts
- lakes

Physical Description:

- dark choclote and white
- talons
- Brite yellow hooked beak
- Raptor

Nest/Nesting Materials:

- leaves
- sticks
- branches
- grass
- moss
- cornstalks

Eggs:

- it takes lots of time to form an egg. Sometimes it takes a year.
- it takes 1/3 incubating by both parents 34/36 days
- they incubate for 35 days
- white

Food:

- fish
- ducks
- ospreys
- snakes
- turtlles

Did You Know?

1.did you know the Bald Eagle's wingspan is 8 feet high?
2.did you know that a bald eagle's egg is like the size of a baseball?
3.it has 10000 feathers

Voice/Song:

pewpwe pwepwepwepwe

Dylan, Naomi, Daniel G.

Flame Orange

Cracker Beak



Perching Feet

Nest like bag

Hi, I'm a Baltimore Oriole and I am flame orange. You better not confuse me with other birds like a Robin. I have white fieldmarks on my wings, Robins do not. I have perching feet. I have a cracker beak. I am beautiful and much better then other birds, if you think I'm not, what a shame. My name sounds like oreo, so you can call me Mr. Oreo.



Baltimore Oriole

Habitat:

- Parks
- Backyards
- Gardens
- Trees
- Vines
- River banks

Physical Description:

- Flame orange with yellow black white
- Perching feet
- craker beak
- Acobotic
- Hangs upside down

Nest/Nesting Materials:

- String
- Wood shaving
- Cotton yarn
- Twigs
- Sometimes strips of clothes

Eggs:

- Length 0.8-1in 2.1-2.5cm
- Width 0.6-0.7in 1.5-1.7cm
- Clutch size 3-7eggs
- Number of brood-1
- Incubation period 11-14days
- Nesting period 11-14days
- White with brown boches

Food:

- Beetles
- Crickits
- Grasshoppers
- Moths
- Flies
- Bananas
- Mulberries

Did You Know?

- 1. The oldest Baltimore Oriole was over 12 years old when it was caught and killed by a raptor in Minnesota.
- 2. Young male Baltimore Orioles do not molt into bright orange adult plumiage until the full of thier second year.
- 3. Baltimore Orioles got their name from bold oranges and plumage.


Voice/Song

hoo lee sounds like hoo hoo hoo fastly

Reese and Jordan

Eggs are Pink with Hot Pink Spots

Attack and Fight



Early Migrants

Live in Mixed Forests

Oh, hi there, are you looking at me? Becaues I'm looking at you! don't confuse us with a Black Throated Gray Warbler. I have very thick black and white stripes on my wings. He has a black mask, I don't and on my body I have very thin stripes. My feet are black and I have a black beak with a stroke of white. Can you take a guess of who I am? You got it! I'm a Black And White Wabler but I have to fly. bye!



Black White Warbler

Habitat:

- tree trunks
- forest
- parks

Physical Description:

- black and white
- black eye
- two strips of white on head
- medium sized
- black beak with stroke of white

Nest/Nesting Materials:

- rock
- tree
- bark
- · well hidden

Eggs:

- pink eggs with hot pink spots
- they lay thier eggs at a rezenbel amount of time
- clutch size 4 -6
- nestling period 8 -12 day
- egg length 0.6 0.7 in 1 5 -1. 1.9 cm

Food:

- sapsucker
- spider
- butterfly
- flies
- ants
- larva

Did You Know?

- 1. The olddest Black And White Warbler was eleven.
- 2. The Black And White Warbler can fight and attack.
- 3. The Black and White Warbler has an extra long hind.


Voice/Song

it cind of sounds like a viylin exept a bird .

Phoebe, Soraya and Matthew

Puching Feet

Four Colers



Black Beck

Hangs on Wiers

Hi I am a eastern bluebird. You beaer not cufues me with a blue jay it has 3 colers. I have four colers blue, oreng, wite, black. Can you ges what bird I am a eastern bluebird. you might coufus me weth a mounten bluebird. but I am a eastern bluebird.a mounten bluebird has tow calers lite blue and dark blue bye bye.





Bluebird

Habitat:

 Bluebird live in open countries around trees. Now they live in commin along pashters, filds, sbrbin paks, backyrds and golf corses.

Physical Description:

 Bluebirds have blue on there backs and dacker blue on its head and red oreng tame and under its tume is wight. And bluebirds have prching feet.

Nest/Nesting Materials:

 The fimimal bluebird she makes it by losly weving long peses of grass together and pine nitls

Eggs:

- Bluebirds eggs are pale blue not that oftin there eggs are white.
- eastern bluebirds lay 2-7 eggs
- easteren bluebirdslay 1-3 eggs a year

Food:

- Insecs cought on the grass
- calpilers
- grasshoppers
- spiders
- lizerds
- snacks
- tree frogs

Did You Know?

- 1. Eastern Bluebirds lay the same amount of eggs as Sathern Bluebird
- 2. Bluebirds tepcly have more then one pray. One pray is a Peregrine Falcon
- 3. The male eastern bluebird displays at his nest cavity to attract a female.
- 4. The male brings nesting materials to the hole.

Voice/Song

the bluebird song go's up then down and it does go twee twee

Ariana and Nathan

Red Crest

Orange Beak



Black Mask

Red Feathers [Male]

Hi I am a male that is red but a female is gray. I am a cardinal. Do not confuse me with a pyrrhuloxia. my habitat is a open wood land. That means I live in sruby areas.....like indgo buntings. my voice sounds like this: twet twet twet. Do you love my song? do you? This is my wing span, 9.8-12.2 in .



Cardinal

Habitat:

- open woodland
- North America
- only if live in mexico, migrate to canada

Physical Description:

- red[male]
- gray[female]
- orange beak
- crest
- cracker beak
- short beak

Nest/Nesting Materials:

- made out of twigs and branches
- in low places

Eggs:

- 2-3 broods a year
- 3-4 egges a year
- white with blue spots
- · sumtims brownish white

Food:

- seeds
- berry
- incects

Did You Know?

- 1. Cardinals are related to bunting. They are also related to finghis, tanagers[summer/skarlat] and pyrrhuloxia.
- 2. Some cardinals do not have the crest

Voice/Song: twet twet hi pich

Eve

Eats Snails

Related to Pigeons



Wings are Blue

Black Field Marks

Hi I'm the ------you better not cunfuse me with a rock dove. I live in open areas. I have black fieldmarks. On the top of my forehead, it is very light blue. I can make more broods then any other native bird. You can find me in Central Park.



Mourning Dove

Habitat:

- open areas
- grasslands
- open countrys
- · warm/cold

Physical Description:

- blue wings
- black field marks
- brown

Nest/Nesting Materials:

- sticks
- female builds
- male finds the sticks
- builds nest in old stuff like gutters

Eggs:

- ovel shaped
- · weight
- clutch two eggs
- 5 to 6 broods

Food:

- snails
- peanuts
- weeds
- erbs
- berries

Did You Know?

- 1. Mourning doves eat roufly
- 2. The oldest Mourning Dove was
- 30 years old
- 3. Mourning dove can be found flying one after another.

Voice/Song:

A Mourning Dove do not have a good song. It sounds like someone is crying. It's a cooing sound.

Julia Jesse and Daniel Z.

Yellow Eye Socit

> Hooked Beak



Long Wings

Talons

hi I am a peregrine falcon. My beak is a shreder beak it is used to rip up its prey it is very sharp. Check out my feet they are talons. They are very very sharp you do not what to get scrached by them. I mainly eat other birds and usually catch them in mid-air.



Peregrine Falcon

Habitat:

- Skyscrapers
- water towers
- cliffs
- power pylines

Physical Description:

- black-ish gray
- yellow around the eye
- black spots under it's wings
- white field marks

Nest/Nesting Materials:

- gravel
- sticks
- rocks

Eggs:

- Clutch Size 2-5 Eggs
- number of Broods 1 brood
- color of eggs red or purple dotted or blotch pale creamy or brownish

Food:

- pigoens
- bluebirds
- humming birds
- starlings
- orioles
- warblars

Did You Know?

- 1.Peregrine Falcons stoop or dives are 242-250 mph
- 2. Female Peregrine Falcons are larger then males
- 3. Pepole use them for falconary

Voice/Song:

kak, kak'screech, screech, screech screech

Erina and Jahan

Red Tail

Eats Blackbirds



Light Brown

Dark Spots on Chest

Hi there! I think you want to know about my physical description! hey, are you thinking that I am A Coopers hawk! Then what a shame. I have a red tail he doesen't he has larger talons than me so he can grip on to wider fater sticks now back to me I have sharp talons that can cut through some of the hardest things ever I love to hunt, fly and protect my family. I have sharp beak that is used to catch prey.



Red Tailed Hawk

Habitat:

- Grasslands
- scrublands
- park
- Rainforests

Physical Description:

- light brown with white stomach
- red tail
- rounded wings
- very broad
- short wide tail

Nest/Nesting Materials:

- dry grass
- bark
- fresh foil
- strips
- tall crowns of trees
- window ledges
- billboard platforms

Eggs:

- cluch size 1- 5 eggs
- 1 brood
- incubation 28 to 35 days
- white egg with brown or purple speckles

Food:

- snakes
- bobwhite
- rats
- rabits
- blackbirds
- starlings

Did you know?

- 1. A female Red Tailed Hawk is bigger than the male.
- 2. red tailed hawks like to hunt in pairs
- 3. the oldest rth was 30 years old

Voice/Song:

Cheeeehehhehhehe

Chloe and Ethan

Flaps Wings 80 Times per Second

Flaps its Wings in a Figure 8



Needs Sun

Strawed Beak to Live

I'm a Ruby Throated Hummingbird . I am a male . I have ruby red feathers on my throat. My chest is white and my back is green. My partner does not have red feathers. She is green with a white stonick. We have long thin beacks. We use our beaks to suck necter from redor oronge flowers. I have perching feet. A perching foot has three toes on the front anf=d one in the back.



Ruby-Throated Hummingbird

Habitat:

- Southern Canada
- Eastern United states
- Bermuda
- Mexico
- orchards
- Citrus groves
- Hedge rows

Physical Description:

- Green body
- Red Throated male
- black strawed beak
- black tailed feather

Nest/Nesting Materials:

- put nest in a oak, hornbeam, birch,poplar,hackberry or pine
- Loops of chain, wire and extension cords
- ground

Eggs:

- white eggs
- eggs are smaller then your thum.
- eggs take two weeks to hatch

Food:

- drinks nectar from a red or orange flower.
- eat small bugs
- tree sap
- honeysuckle
- juwelweed

Did You Know?

- 1. Did you know that the eggs are smaller then a dime.
- 2. Did you know that a Ruby Throated Hummingbird can flap it's wings 80 times a second.
- 3. It's wings soud like a car

Voice/Song:

Sounds like a Ferrari going zzzzzzz beep beep beep

Celia, Jahmiah, and Hosna

Shedder

White and Brown



Talons

Bird of Prey

Hi. I see what you are looking at my butteafull white fethers. I have black spots on me. My beak is sharp. I have talons on my feat so don't come too close. My feathers are dense and puffy and there are lots of layers of feathers. Lets get to my eyes - yellow eyes. My male partner is also brown. But i'm more dark then the male. My partner is more pale. Bye bye.



Snowy Owl

Habitat:

- In the aric
- they like treelesse place
- they like cold place

Physical Description:

- snowy owl are wite and litel bit of white.
- and a litte black spots
- male has a littei bit of brown

Nest/Nesting Materials:

 wet and blind [eyes usually opon by day 57, within hours a snowy alill hacking is a litte wite fluff ball of down fethers.

Eggs:

- clutch size 3-11 egg
- number of broods 1 brood
- egg length 2.2 in 4.5 cm
- egg withn1.8 in 4.5 cm
- incubashum 32 days

Food:

- lemmings
- small anamela
- mous
- ded birds
- roting-rabits-birds-fish

Did You Know?

- 1. Feemals are broun
- 2. Mals are wite
- 3. Snowy owls get more wite when they are older

Voice:

male sound adog barking female sound like a qacking

Madeline and Gia

Spots that look like Stars

Orange Legs



Short Square Tail

Black Eye

Hi there do you want to know about my physical description? My beak is yellow in the summer but in the winter it's black. I have perching feet so small and cute. I use them to go on brantches, fences and on the ground. You will know its me because I have white spots that look like stars. I also have lines on my tail and wings. I am mostly black if I'm a male. And I'm mostly brown if I am a female. I am small and cute. My name is a European Starling because I have white spots that look stars and I come from Europe. Now I have to go so keep on the look out, Bye!



Starling

Habitat:

- trees
- mowed lawns
- grassy areas
- can be found in farms
- parks
- open feilds

Physical Description:

- orange legs
- yellow beak
- black eye
- white spots like stars
- greenish, purlish, bluish

Nest/Nesting Materials:

- grass
- pineneedles
- feathers
- trash fresh green plants
- string
- · cloth leaves
- fine bark

Eggs:

- clutch size-3-6 broods-1-2
- egg length-1.1-1.3in 2.7-3.2cm
- egg width-0.7-0.9in 1.9-2.3cm
- inciubation period-12 days
- nesting period-21-23 days
- egg color-bluish or greenish white

Food:

- grasshoppers siders
- cherries holly berries
- beetles hackberries
- flies mulberries
- caterpillars live sto
- snails blackberries
- earthworms millipeads
- grains seeds nectar
- livestock feed

Did You Know?

- 1. Did you know that all of our starlings are closely related individuals?
- 2. Did you know you can learn the calls of up to 20 differet species?
- 3. Did you know that starlings beaks change colorers?

Voice/Song

-chattery -squacky -loud -chirpy

Saif

Great Sense of Smell

Beak for Eating Flesh



Tail Feathers for Stearing

Very Smart



Turkey Vulture

Habitat:

- cliffs
- abandind buildings
- thikets

Physical Description:

- Though he may disturb you he actuley llikes to hang around you to snack off our leavings.
- Turkey vultures are always in a mood for fight.

Nest/Nesting Materials:

 To make there nest they dig holes in order to make there nest.

Eggs:

- Wight tinged with gray
- 2.6-3 in
- egg length 6.5-7.5 cm
- Cluch size 1-3 eggs
- 1 brood
- egg width 1.7-2.1 in

Food:

- cariion
- Snakes
- bugs
- spiders

Did You Know?

- 1. They have a very good sense of smell.
- 2. We also vomit for defense so we can fly away if a preditor comes by.

Voice/Song: